# Fist Grip<sup>®</sup> Wire Rope Clips

## SELBY ENGINEERING & LIFTING SAFETY LTD. Lifting Equipment and Height Safety Specialists


www.liftingsafety.co.uk sales@liftingsafety.co.uk Tel: +44 (0) 1977 684 600 Fax: +44 (0) 1977 685 300

# **NEW STYLE**




Fist Grip® wire clips meet or exceed the performance requirements of Federal Specification FF-C-450 Type III, Class 1, except for those provisions required of the contractor. For additional information, see page 391.

#### 3/16" - 5/8"









#### SEE APPLICATION AND WARNING INFORMATION

Para Español: www.thecrosbygroup.com

# FIST GRIP® **CLIPS**

3/4" - 1-1/2"

On Page 51

FIST GRIP® CLIPS<br/>3/16" - 5/8"• Based on the catalog breaking strength of wire rope, Crosby wire rope<br/>clips have an efficiency rating of 80% for 3/16" - 7/8" sizes, and 90%<br/>for sizes 1" through 1-1/2".

• Entire clip is Galvanized to resist corrosive and rusting action.

- Bolts are an integral part of the saddle. Nuts can be installed in such a way as to enable the operator to swing the wrench in a full arc for fast installation.
- All sizes have forged steel saddles.
- All Clips are individually bagged or tagged with proper application instructions and warning information.
- Crosby products meet or exceed all requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements. Importantly, Crosby products meet other critical performance requirements including fatigue life, impact properties and material traceability, not addressed by ASME B30.26.
- Assembled with standard heavy hex nuts.

### G-429 Fist Grip<sup>®</sup> Clips

			Std.	Weight	Dimensions				
Rope Size		G-429	Package	Per 100	(in.)				
(in.)*	(mm)	Stock No.	Qty.	(lbs.)	С	D	E	G	Ν
3/16 - 1/4	5-7	1010471	100	23	.40	.94	.38	1.41	1.44
5/16	8	1010499	100	28	.47	1.06	.38	1.50	1.54
3/8	10	1010514	50	40	.51	1.06	.44	1.84	1.78
7/16 - 1/2	11-13	1010532	50	62	.59	1.25	.50	2.21	2.15
9/16 - 5/8	14-16	1010550	50	103	.72	1.50	.63	2.72	2.57
3/4	18-20	1010578	25	175	.86	1.81	.75	2.94	2.67
7/8	22	1010596	25	225	.97	2.12	.75	3.31	2.86
1	24-26	1010612	10	300	1.13	2.25	.75	3.72	3.06
1-1/8	28-30	1010630	10	400	1.28	2.38	.88	4.22	3.44
1-1/4	32-34	1010658	10	400	1.34	2.50	.88	4.25	3.56
1-3/8 - 1-1/2	36-40	1010676	Bulk	700	1.56	3.00	1.00	5.56	4.12
Sizes through 5/8" incorporate New Style design									

Sizes through 5/8" incorporate New Style design.