



TITAN B - SHOCK- ABSORBING LANYARD

Product use

Fall arrest lanyard - 2m - without karabiner.

Technical description


Rope

Raw material : Polyamide
Width: 12mm

Weight : 0.370 Kg

Breaking strength : > 15 kN

Additional information



click address to go to....



TITAN B - SHOCK-ABSORBING LANYARD

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

TITAN B - Shock-Absorbing Lanyard

Article code :

10 082 75

is in conformity with Directive dispositions 89/686/CEE.

This PPE has been the object of the EC attestation type :

0082/060/160/03/00/0107

delivered by :

**APAVE Lyonnaise
177 route de Saint-Bel
69811
TASSIN CEDEX
France**

Identified by the number :

0082

Made on the : **06/08/2004**

at : **Vierzon**

Division : **Fall Protection**

By : **Frederic GUICHARD**

[click address to go to....](#)

TITAN C3 - SHOCK ABSORBING LANYARD



Product use

TITAN C3 Fall arrest lanyard, 2m equipped with an alloy karabiner 18mm & a steel snap hook 60mm.

Technical description

Rope

Raw material : Polyamide
Width : 12mm

Karabiner

Raw material : aluminium
Opening 18mm

Snap hook

Raw material : steel
Opening 60mm

Weight : 0.865 Kg

Breaking strength : > 15 kN

Technical specifications and standard

European directive :
89/686/CEE

Norms :

EC type attestation :

Quality Assurance

Certification number :

Marking :

Additional information

[click address to go to....](#)

TITAN C3 - SHOCK ABSORBING LANYARD

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

TITAN C3 - Shock Absorbing Lanyard

Article code :

10 082 81

is in conformity with Directive dispositions 89/686/CEE.

This PPE has been the object of the EC attestation type :

delivered by :

Made on the : **01/10/2004**

at :

Division : **Fall Protection**

By :

[click address to go to....](#)